ELSEVIER

Journal of Materials Processing Technology 112 (2001) 252

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 112

Abdullah, K., 91

Bair, B.-W., 29
Bay, N., 244
Bezerra, A.A., 185
Brunet, M., 214

Cardew-Hall, M.J., 136
Chakrabarti, A.K., 6
Chang, P.-K., 236
Cherukuri, R., 199
Choi, K.-H., 236
Conceição António, C.A., 78

Date, P.P., 68
Dumon, B., 83

Ezugwu, E.O., 185

Ghasempoor, A., 91
Ghomashchi, M.R., 227
Gouveia, B.P.P.A., 244
Guerin, F., 83
Gupta, R., 63

Haibin, W., 153
Hambli, R., 83
Hibino, A., 127
Hong, S.I., 109
Hong, S.S., 166
Huang, A., 136
Hur, S.-M., 236

Janssens, K., 174
Jen, T.M., 24
Jeswiet, J.J., 91
Jha, A.K., 53
Jiang, Z.Y., 144
Joun, M.S., 121

Kim, H.K., 157
Kim, H.S., 109
Kim, S.J., 109
Kim, Y.H., 166
Kiuchi, M., 127
Koga, N., 205
Kurita, T., 37
Kwang, Y.T., 24

Lambert, F., 174
Lee, J.-H., 114
Lee, J.-M., 166
Lee, S.-H., 236
Lee, S.-Y., 114
Lee, Y.-S., 114
Lei, Y., 12
Li, L.X., 1
Liu, J.A., 1
Liu, Z.Q., 1
Lowe, A., 136

Machado, A.R., 185
Martins, P.A.F., 244
Matsuoka, S., 127
Mo, J., 205
Molian, P.A., 199
Morestin, F., 214
Murakawa, M., 205

Nakai, T., 37
Naterer, G.F., 98
Niranjan Prasad, K., 43

Oh, S.I., 157
Ono, T., 37

Padmanabhan, K.A., 68
Patankar, S.N., 24
Paulo Davim, J., 78

Peng, D.S., 1
Peng, Y., 12
Ponnaluri, S.V., 199
Potiron, A., 83

Qudong, W., 17

Ramamoorthy, B., 43
Rodrigues, J.M.C., 244
Ruan, X., 12
Ryu, C.H., 121

Sahoo, K.L., 6
Sekhon, G.S., 63
Shishodia, K.S., 63
Singh, S., 53
Sivaramakrishnan, C.S., 6
Souza Jr., A.M., 185

Tieu, A.K., 144
Tsay, C.-B., 29

Vanrostenberghe, S., 174
Vermeulen, M., 174

Wakatsuki, Y., 205
Wenjiang, D., 17
Wild, P.M., 91

Xiaoqin, Z., 17
Xu, R., 98

Yanping, Z., 17
Yizhen, L., 17
Yuan, X., 153
Yunhu, Z., 17

Zhenrong, X., 153

Elsevier Science B.V.
PII: S0924-0136(01)00745-2

ELSEVIER

Journal of Materials Processing Technology 112 (2001) 253–256

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 112

Acoustic monitoring
A study of processed area monitoring using the strength of YAG laser processing sound, 37
Aerospace Al-alloys
Deformation behaviour of sheets of three aerospace Al-alloys, 68
Al–Cu–Zr alloy
A study on the process to control the cavity and the thickness distribution of superplastically formed parts, 114
Al–Fe–V–Si alloy
The effect of Mg treatment on the properties of Al–8.3Fe–0.8V–0.9Si alloy, 6
Alpha casing
Alpha casing and superplastic behavior of Ti–6Al–4V, 24
Aluminium matrix composites
Optimisation of cutting conditions in machining of aluminium matrix composites using a numerical and experimental model, 78
Aluminium–silicon alloy
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185
Artificial neural network
Tool wear evaluation by stereo vision and prediction by artificial neural network, 43
Average contact ratio
Effects of profile shifted factor and pressure angle on the ZK-type dual-lead worm gear drives, 29

Back-propagation
Tool wear evaluation by stereo vision and prediction by artificial neural network, 43
Barrelling
Analysis of dynamic effects during high-speed forging of sintered preforms, 53
Beryllium
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17
BL approach
Determination of fabricating orientation and packing in SLS process, 236
Blank design
Optimal design of superplastic forming processes, 166
Blanking
Investigation of blanking noise reduction using a hydraulic inertia damper, 205
Boron
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Breakthrough
Investigation of blanking noise reduction using a hydraulic inertia damper, 205
Burn-free
Optimization of grinding process parameters using enumeration method, 63

Case-based reasoning
Applying case-based reasoning to cold forging process planning, 12
Cavity
A study on the process to control the cavity and the thickness distribution of superplastically formed parts, 114
Ceramic material
A study of processed area monitoring using the strength of YAG laser processing sound, 37
Cold forging
Applying case-based reasoning to cold forging process planning, 12
Combustion synthesis
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Composite
On the rule of mixtures for predicting the mechanical properties of composites with homogeneously distributed soft and hard particles, 109
Computer-aided process planning
Applying case-based reasoning to cold forging process planning, 12
Core loss
Core loss reduction in grain-oriented silicon steels by excimer laser scribing. Part I: experimental work, 199
Correlation technique
Experimental and analytical necking studies of anisotropic sheet metals, 214
Crater wear
Tool wear evaluation by stereo vision and prediction by artificial neural network, 43
Cutting conditions
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185

Damage model
Experimental and analytical necking studies of anisotropic sheet metals, 214
Damper
Investigation of blanking noise reduction using a hydraulic inertia damper, 205
Deep drawing
Statistical evaluation of the uncertainty of experimentally characterised forming limits of sheet steel, 174
Densification
Analysis of dynamic effects during high-speed forging of sintered preforms, 53
Die load
Analysis of dynamic effects during high-speed forging of sintered preforms, 53
Dimensional stability
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185

Elastic energy
Investigation of blanking noise reduction using a hydraulic inertia damper, 205

Elsevier Science B.V.
PII: S0924-0136(01)00746-4

Entropy
Inverse method with heat and entropy transport in solidification processing of materials, 98
Enumeration
Optimization of grinding process parameters using enumeration method, 63
Experiment
Numerical pressure prediction algorithm of superplastic forming processes using 2D and 3D models, 83

Fabrication
Fabrication of near net-shaped Al-based intermetallics matrix composites, 227
FEM
On the rule of mixtures for predicting the mechanical properties of composites with homogeneously distributed soft and hard particles, 109
Finite element
Numerical pressure prediction algorithm of superplastic forming processes using 2D and 3D models, 83
Finite element analysis
Optimal design of superplastic forming processes, 166
Finite element method
Evaluation of heat transfer coefficient during heat treatment by inverse analysis, 157
Finite element simulation
Experimental validation of sheet thickness optimisation for superplastic forming of engineering structures, 136
Floating die
Finite element simulation of the cold forging process having a floating die, 121
Floating die velocity search scheme
Finite element simulation of the cold forging process having a floating die, 121
Fluidity
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17
Forging simulation
Finite element simulation of the cold forging process having a floating die, 121
Forming limit curve
Statistical evaluation of the uncertainty of experimentally characterised forming limits of sheet steel, 174
Forming limit diagram
Deformation behaviour of sheets of three aerospace Al-alloys, 68
Experimental and analytical necking studies of anisotropic sheet metals, 214
Friction
An experiment study of the lubrication behavior of graphite in hot compression tests of Ti–6Al–4V alloy, 1
Friction variation
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144

Genetic algorithm (GA)
Determination of fabricating orientation and packing in SLS process, 236
Genetic search
Optimisation of cutting conditions in machining of aluminium matrix composites using a numerical and experimental model, 78
Graphite
An experiment study of the lubrication behavior of graphite in hot compression tests of Ti–6Al–4V alloy, 1
Grinding
Optimization of grinding process parameters using enumeration method, 63

Heat transfer coefficient
Evaluation of heat transfer coefficient during heat treatment by inverse analysis, 157
Heat treatment
Evaluation of heat transfer coefficient during heat treatment by inverse analysis, 157
Helix angle
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185
High-speed forging
Analysis of dynamic effects during high-speed forging of sintered preforms, 53
Hot tearing
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17

Ignition-proof
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17
Instantaneous contact teeth
Effects of profile shifted factor and pressure angle on the ZK-type dual-lead worm gear drives, 29
Intermetallic compound
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Intermetallics
Fabrication of near net-shaped Al-based intermetallics matrix composites, 227
Internal stresses
Core loss reduction in grain-oriented silicon steels by excimer laser scribing. Part I: experimental work, 199
Inverse heat transfer
Evaluation of heat transfer coefficient during heat treatment by inverse analysis, 157
Inverse method
Inverse method with heat and entropy transport in solidification processing of materials, 98

Laser grooving
A study of processed area monitoring using the strength of YAG laser processing sound, 37
Laser scribing
Core loss reduction in grain-oriented silicon steels by excimer laser scribing. Part I: experimental work, 199
Laser weld
Tensile testing for weld deformation properties in similar gage tailor welded blanks using the rule of mixtures, 91
Lubricant
An experiment study of the lubrication behavior of graphite in hot compression tests of Ti–6Al–4V alloy, 1

Machine vision
Tool wear evaluation by stereo vision and prediction by artificial neural network, 43
Machining
Optimisation of cutting conditions in machining of aluminium matrix composites using a numerical and experimental model, 78
Magnesium alloy
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17
Magnetic domains
Core loss reduction in grain-oriented silicon steels by excimer laser scribing. Part I: experimental work, 199
Material processing
Inverse method with heat and entropy transport in solidification processing of materials, 98

Mechanical properties
The effect of Mg treatment on the properties of Al–8.3Fe–0.8V–0.9Si alloy, 6
Mesh division
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144
Metal rolling
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144
Mg treatment
The effect of Mg treatment on the properties of Al–8.3Fe–0.8V–0.9Si alloy, 6

Near net-shape
Fabrication of near net-shaped Al-based intermetallics matrix composites, 227
Necking criterion
Experimental and analytical necking studies of anisotropic sheet metals, 214
Ni_3Al
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Noise level
Investigation of blanking noise reduction using a hydraulic inertia damper, 205
Numerical simulation
Physical modelling and numerical simulation of the round-to-square forward extrusion, 244

Optimization
Optimization of grinding process parameters using enumeration method, 63
Optimisation of cutting conditions in machining of aluminium matrix composites using a numerical and experimental model, 78
Optimal design of superplastic forming processes, 166

Part orientation and packing
Determination of fabricating orientation and packing in SLS process, 236
Phase change heat transfer
Inverse method with heat and entropy transport in solidification processing of materials, 98
Physical modelling
Physical modelling and numerical simulation of the round-to-square forward extrusion, 244
Plastic anisotropy
Experimental and analytical necking studies of anisotropic sheet metals, 214
Pressure algorithm control
Numerical pressure prediction algorithm of superplastic forming processes using 2D and 3D models, 83
Processing sound
A study of processed area monitoring using the strength of YAG laser processing sound, 37
Punch stretching
Deformation behaviour of sheets of three aerospace Al-alloys, 68

Rapid prototyping
Determination of fabricating orientation and packing in SLS process, 236
Rare earth
Influence of beryllium and rare earth additions on ignition-proof magnesium alloys, 17
Reaction sintering
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Reaming
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185
Reverse engineering
Research on integrated reverse engineering technology for forming sheet metal with a freeform surface, 153
Rigid–plastic FEM
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144
Rigid-plastic finite element method
Finite element simulation of the cold forging process having a floating die, 121
Ring compression test
An experiment study of the lubrication behavior of graphite in hot compression tests of Ti–6Al–4V alloy, 1
Rotary forming
A study on the process to control the cavity and the thickness distribution of superplastically formed parts, 114
Rule of mixtures
On the rule of mixtures for predicting the mechanical properties of composites with homogeneously distributed soft and hard particles, 109

Selective laser sintering (SLS)
Determination of fabricating orientation and packing in SLS process, 236
Self propagating high temperature synthesis
Synthesis and sintering of Ni_3Al intermetallic compound by combustion synthesis process, 127
Shearing
Investigation of blanking noise reduction using a hydraulic inertia damper, 205
Sheet metal formability
Deformation behaviour of sheets of three aerospace Al-alloys, 68
Sheet metal forming
Research on integrated reverse engineering technology for forming sheet metal with a freeform surface, 153
Statistical evaluation of the uncertainty of experimentally characterised forming limits of sheet steel, 174
Sheet thickness
Experimental validation of sheet thickness optimisation for superplastic forming of engineering structures, 136
Sheet-metals
Experimental and analytical necking studies of anisotropic sheet metals, 214
Simulation precision
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144
Solidification
Fabrication of near net-shaped Al-based intermetallics matrix composites, 227
Statistical analysis
Statistical evaluation of the uncertainty of experimentally characterised forming limits of sheet steel, 174
Steel
Statistical evaluation of the uncertainty of experimentally characterised forming limits of sheet steel, 174
Strain distribution in sheet forming
Deformation behaviour of sheets of three aerospace Al-alloys, 68
Stress analysis
On the rule of mixtures for predicting the mechanical properties of composites with homogeneously distributed soft and hard particles, 109
Superplastic behavior
Alpha casing and superplastic behavior of Ti–6Al–4V, 24

Superplastic blow forming
A study on the process to control the cavity and the thickness distribution of superplastically formed parts, 114
Superplastic forming
Numerical pressure prediction algorithm of superplastic forming processes using 2D and 3D models, 83
Experimental validation of sheet thickness optimisation for superplastic forming of engineering structures, 136
Optimal design of superplastic forming processes, 166
Surface finish
Effects of machining parameters when reaming aluminium–silicon (SAE 322) alloy, 185
System integration
Research on integrated reverse engineering technology for forming sheet metal with a freeform surface, 153

Tailor welded blanks
Tensile testing for weld deformation properties in similar gage tailor welded blanks using the rule of mixtures, 91
Tensile specimen
Tensile testing for weld deformation properties in similar gage tailor welded blanks using the rule of mixtures, 91
Tension
A simulation of three-dimensional metal rolling processes by rigid–plastic finite element method, 144
Thermomechanical processing
The effect of Mg treatment on the properties of Al–8.3Fe–0.8V–0.9Si alloy, 6
Thickness distribution
A study on the process to control the cavity and the thickness distribution of superplastically formed parts, 114
Three-dimensional extrusion
Physical modelling and numerical simulation of the round-to-square forward extrusion, 244
Ti–6Al–4V
Alpha casing and superplastic behavior of Ti–6Al–4V, 24

Undercutting
Effects of profile shifted factor and pressure angle on the ZK-type dual-lead worm gear drives, 29

Velocity field
Analysis of dynamic effects during high-speed forging of sintered preforms, 53
Void formation in forming
Deformation behaviour of sheets of three aerospace Al-alloys, 68

Weld properties
Tensile testing for weld deformation properties in similar gage tailor welded blanks using the rule of mixtures, 91

YAG laser
A study of processed area monitoring using the strength of YAG laser processing sound, 37